# NSPIRE for Housing Choice Voucher PowerPoints Day 3

October 2025

Nan McKay & Associates, Inc.

1810 Gillespie Way, Suite 202, El Cajon, CA 92020 1-800-783-3100 E-mail: info@nanmckay.com www.nanmckay.com



# NSPIRE for HCV (NSPIRE-V) Day 3



Experience — Leadership — Collaboration

# **Smoke Alarm**

Definition:

A self-contained device that detects the presence of smoke, typically as an indicator of fire, and provides a visual or audio signal as an alert.

Common
Components:

Plastic shell, Base, Battery, Light,
Speaker, Test button, Electronic circuit;
Battery backup

### **More Information**

- Smoke alarm should be installed high on walls or ceilings.
  - If mounted on the ceiling, then it must be greater than 4 inches from the wall.
  - If mounted on the wall, then the top edge of the smoke alarm cannot be closer than 4 inches or greater than 12 inches from the ceiling.



# **More Information**

- Smoke alarm should be installed at least 10 feet from a cooking appliance.
- Smoke alarm should not:
  - Be installed near windows, doors, or ducts where drafts might interfere with their operation.
  - Be painted or have decorative stickers or other decorations present.



# **More Information**

- The unit must include at least one sealed battery-operated or hard-wired smoke detector, in proper working condition, in the following locations:
  - On each level of the unit;
  - Inside each bedroom;
  - Within 21 feet of any door to a bedroom measured along a path of travel; and

# More Information

And, where a smoke detector installed outside a bedroom is separated from an adjacent living area by a door, a smoke detector must also be installed on the living area side of the door



# **Sealed Batteries**

 On December 29, 2024 (the effective date of the Public and Federally Assisted Housing Fire Safety Act of 2022), 10-year tamper proof sealed batteries are now required.



## **Smoke Alarm**

Deficiency 1: Smoke alarm is not installed where required.

#### Deficiency Criteria:

Unit\*: Smoke alarm is not installed inside each bedroom.

AND

Smoke alarm is not installed outside the bedroom(s).

AND

Smoke alarm is not installed on each level.

Inside\*: Smoke alarm is not installed inside each classroom.

AND

Smoke alarm is not installed outside the classroom(s).

AND

Smoke alarm is not installed on each level.

\*AHR: UNIT & INSIDE



# **Smoke Alarm** Deficiency 1: Smoke alarm is not installed where required. **H&S** Determination: Correction Timeframe: Unit & Life-Threatening / Unit & 24 hours Inside: Fail Inside:

# **Smoke Alarm**

Deficiency 1: Smoke alarm is not installed where required.

#### More Information:

- Unit: A smoke alarm installed within a hallway in the immediate vicinity of multiple bedrooms meets the requirement of "outside the bedroom(s)" under this standard.
  - A smoke alarm installed outside a bedroom may meet the requirement of "on each level" under this standard.
  - If a smoke alarm is missing (i.e., evidence of prior installation, but is now not present or is incomplete) from a non-required area, then it should not be evaluated under this standard.
  - If another hazard is present, then it should be evaluated under the respective standard (e.g., an exposed conductor should be evaluated under the Electrical – Conductor, Outlet, and Switch standard).

# **Smoke Alarm**

Deficiency 1: Smoke alarm is not installed where required.

#### More Information:

- Inside: A smoke alarm installed within a hallway in the immediate vicinity of multiple classrooms meets the requirement of "outside the classroom(s)" under this standard.
  - A smoke alarm is required on each level.
  - A smoke alarm installed outside a classroom may meet the requirement of "on each level" under this standard.
  - If a smoke alarm is missing (i.e., evidence of prior installation, but is now not present or is incomplete) from a non-required area, then it should not be evaluated under this standard.
  - If another hazard is present, then it should be evaluated under the respective Standard (e.g., an exposed conductor should be evaluated under the Electrical - Conductor, Outlet, and Switch standard).

# **Smoke Alarm**

Deficiency 2: Smoke alarm is obstructed.

#### Deficiency Criteria:

Unit & Smoke alarm is obstructed. Inside:

#### **H&S Determination:**

Unit & Life-Threatening / Inside: Fail

Unit & 24 hours Inside:

Correction Timeframe:

#### More Information:

Inside:

Unit & • A combination smoke and CO alarm should be evaluated under both the Carbon Monoxide Alarm and Smoke Alarm standards.

# **Smoke Alarm**

Deficiency 3: Smoke alarm does not produce an audio or visual alarm when tested.

#### Deficiency Criteria:

Unit & Smoke alarm does not produce an audio or visual alarm Inside: when tested.

#### H&S Determination:

Unit & Life-Threatening /

Inside: Fail


#### Correction Timeframe:


Unit & 24 hours

Inside:

#### More Information:

Unit & • If the alarm does not cease after testing, then evaluate Inside: the condition under this deficiency.
















# **Sprinkler Assembly**

Deficiency 1: Sprinkler head assembly is encased or obstructed by an item or object that is within 18 inches of the sprinkler head.

#### **Deficiency Criteria:**

Unit, Sprinkler head assembly is encased or obstructed by an Inside, & item or object that is within 18 inches of the sprinkler Outside: head.

#### **H&S** Determination:

Unit, Life-Threatening / Inside, & Fail Outside:

#### Correction Timeframe:

Unit, 24 hours Inside, & Outside:


Deficiency 1: Sprinkler head assembly is encased or obstructed by an item or object that is within 18 inches of the sprinkler head.

#### More Information:

Inside, & Outside:

- Unit, Some sprinkler heads may not have 18" clearance due to features within the built environment (e.g., closet, wall mounted kitchen cabinets, permanently installed light fixture, exit sign) and should not be considered a deficiency under this Standard.
  - A parked vehicle within 18" of the sprinkler assembly should not be considered a deficiency under this Standard.
  - Examples of encasements may include, but are not limited to:
    - · Painter's tape
    - Plastic bag
  - Examples of obstructions may include, but are not limited to:
    - Furniture
    - Shelves
    - · Stacked materials

Deficiency 2: Sprinkler assembly component is damaged, inoperable, or missing and it is detrimental to performance. Deficiency Criteria: Unit, Inside, Sprinkler assembly component is damaged, inoperable, or & Outside: missing and it is detrimental to performance. **H&S** Determination: Correction Timeframe: Unit, Inside, Life-Threatening / Fail Unit, Inside, 24 hours & Outside: & Outside: More Information: Unit, • For the purpose of this Standard, a condition is detrimental to performance if it impacts the sprinkler assembly's ability to Inside, & Outside: properly or adequately discharge when activated. · Examples of conditions that may be detrimental to performance may include, but are not limited to: Physical damage · Glass bulb has lost fluid Concealed sprinkler cover plate is caulked or glued to ceiling Missing sprinkler head escutcheon



Deficiency 4: Sprinkler assembly has evidence of foreign material that is detrimental to performance.

#### Deficiency Criteria:

Unit, Inside, Foreign material covers 75% or more of the sprinkler assembly. & Outside: OR

Foreign material covers 75% or more of the glass bulb.

#### H&S Determination:

Unit, Inside, Life-Threatening / Fail & Outside:

#### Correction Timeframe:


Unit, Inside, 24 hours & Outside:

#### More Information:

Inside, & Outside:

- Unit, For the purpose of this Standard, a condition is detrimental to performance if it impacts the sprinkler assembly's ability to properly or adequately discharge when activated.
  - Examples of foreign material that may be detrimental to performance may include, but are not limited to:
    - Loading / dust
    - Paint












Sprinkler assembly has evidence of foreign material that is detrimental to performance




Sprinkler assembly has evidence of foreign material that is detrimental to performance







Deficiency	1: Tread is missing or o	damaged.		
Deficiency Criteria:				
-	Tread on a set of stairs is missing (i.e., evidence of prior installation, but now not present or is incomplete).  OR  Tread on a set of stairs is loose or unlevel.  OR  A portion of the tread nosing that is greater than 1 inch in depth or 4 inches wide is damaged or broken.			
H&S Determination:		Correction	Timeframe:	
Unit, Inside, & Outside:	Moderate / Fail	Unit, Inside, & Outside:	30 days	
More Information:				
Unit, Inside, & Outside:	<ul> <li>If accessory treads are pand level.</li> </ul>	oresent, then ve	rify if they are secure	



#### Deficiency 3: Step or stair is not functionally adequate.

#### Deficiency Criteria:

Outside: Step or stair is not functionally adequate (i.e., may not allow for personal traffic from one level to the next).

#### **H&S Determination:**

Correction Timeframe:

Outside: Moderate / Fail


Outside: 30 days


#### More Information:


- Outside: Conditions that may impact the functional adequacy of a step or stairs may include, but are not limited to:
  - Damage or deterioration to the extent that it disrupts a person's ability to move from one level to
  - Unintentional dimensional changes that may interrupt a person's walking pattern or movement
  - Unstable material













### Deficiency 1: Structural system exhibits signs of serious failure. Deficiency Criteria: Unit, Inside, Structural system exhibits signs of serious failure and may & Outside: threaten the resident's safety. H&S Determination: Correction Timeframe: Unit, Inside, 24 hours Unit, Inside, Life-Threatening / & Outside: Fail & Outside: More Information: Unit, • If signs of failure are present and cannot be attributed Inside, & to a specific structural element, then evaluate under Outside: this standard. • If failure is present at a structural element, then it should be evaluated under the respective standard.









Toilet		
Definition:	A plumbing fixture used to receive human waste and to discharge it through a waste pipe, using water as a conveying method.	
Common Components:	Tank; Bowl; Lid; Seat; Flush handle; Drain; Drain lines; Supply valve; Supply line; Wax ring; Float ball; Float cup; Refill tube; Ballcock; Trip lever; Chain; Flapper; Overflow tube; Trap; Closet bend	

# **More Information**

- Toilets may be installed in unfinished spaces or common restrooms that have been converted for another use (e.g., a storage room)
  - In these cases, the sewer line and supply valves must be properly capped to prevent exposure to sewer gas and leaks.



# **More Information**

In the event that a toilet was never installed by design (e.g., in an SRO property), then the shared facilities are considered part of the Unit location for inspection purposes.



# **Toilet**

Deficiency 1: Only 1 toilet was installed, and it is missing.

#### **Deficiency Criteria:**

Unit & Only 1 toilet was installed, and it is missing (i.e., evidence Inside: of prior installation, but now not present or is

incomplete).

#### **H&S** Determination:

Unit: Life-Threatening /

Fail

Inside: Moderate / Fail

#### Correction Timeframe:

Unit: 24 hours

Inside: 30 days



Deficiency 2: A toilet is missing and at least 1 toilet is installed elsewhere that is operational.

#### Deficiency Criteria:

Unit: A toilet is missing (i.e., evidence of prior installation, but now not present or is incomplete) and at least 1 toilet is installed elsewhere within the Unit that is operational.

Inside: A toilet is missing (i.e., evidence of prior installation, but now not present or is incomplete) and at least 1 toilet is installed elsewhere within the Inside area that is operational.

#### **H&S** Determination:

Unit & Moderate / Fail

Inside:

#### Correction Timeframe:

Unit & 30 days

Inside:

#### More Information:

Unit & • If multiple toilets are installed, but none are operational, Inside: then evaluate under Deficiency 1.

Deficiency 3: Only 1 toilet was installed, and it is damaged or inoperable.

#### Deficiency Criteria:

Unit & Only 1 toilet was installed, and it is damaged (i.e., visibly Inside: defective; impacts functionality).

Only 1 toilet was installed, and it is inoperable (i.e., overall system is not meeting function or purpose; with or without visible damage).

#### **H&S** Determination:

Unit: Severe / Fail

Inside: Moderate / Fail

#### Correction Timeframe:

Unit: 30 Days

Inside: 30 days

#### More Information:

Inside:

Unit & • If the toilet refills and continues running, then evaluate the condition under Deficiency 7 of this standard.

#### Deficiency 4: A toilet is damaged or inoperable and at least 1 toilet is installed elsewhere that is operational.

#### Deficiency Criteria:

Unit: A toilet is damaged (i.e., visibly defective; impacts functionality) and at least 1 toilet is installed elsewhere within the Unit that is operational.

OR

A toilet is inoperable (i.e., overall system is not meeting function or purpose; with or without visible damage) and at least 1 toilet is installed elsewhere within the Unit that is operational.

A toilet is damaged (i.e., visibly defective; impacts functionality) and at least 1 toilet is installed elsewhere within the Inside area that is operational.

OR

A toilet is inoperable (i.e., overall system is not meeting function or purpose; with or without visible damage) and at least 1 toilet is installed elsewhere within the Inside area that is operational.

# **Toilet**

A toilet is damaged or inoperable and at least 1 Deficiency 4: toilet is installed elsewhere that is operational.

#### **H&S** Determination:

Correction Timeframe:

Unit & Moderate / Fail Inside:

Unit & 30 days Inside:

#### More Information:

Unit & • If multiple toilets are installed, but none are Inside: operational, then evaluate under Deficiency 1.

Deficiency 5: Toilet component is damaged, inoperable, or missing such that it may limit the resident's ability to safely discharge human waste.

#### Deficiency Criteria:

Unit & Toilet component is damaged (i.e., visibly defective; impacts Inside: functionality) such that it may limit the resident's ability to safely discharge human waste.


OR

Toilet component is inoperable (i.e., component is not meeting function or purpose; with or without visible damage) such that it may limit the resident's ability to safely discharge human waste. OR

Toilet component is missing (i.e., evidence of prior installation, but now not present or is incomplete) such that it may limit the resident's ability to safely discharge human waste.



Deficiency 5: Toilet component is damaged, inoperable, or missing such that it may limit the resident's ability to safely discharge human waste. H&S Determination: Correction Timeframe: Unit & Moderate / Fail Unit & 30 days Inside: Inside: More Information: Unit & • Damaged, inoperable, or missing components that may Inside: limit the resident's ability to safely discharge human waste may include, but are not limited to: Seat · Handle, lever, or button used for flushing Tank Bowl



Deficiency 7: Toilet component is damaged, inoperable, or missing and it does not limit the resident's ability to discharge human waste.

#### Deficiency Criteria:

Unit & Toilet component is damaged (i.e., visibly defective; Inside: impacts functionality) and it does not limit the resident's ability to safely discharge human waste.

OR

Toilet component is inoperable (i.e., component is not meeting function or purpose; with or without visible damage) and it does not limit the resident's ability to safely discharge human waste.

OR

Toilet component is missing (i.e., evidence of prior installation, but now not present or is incomplete) and it does not limit the resident's ability to safely discharge human waste.

Deficiency 7: Toilet component is damaged, inoperable, or missing and it does not limit the resident's ability to discharge human waste.

#### H&S Determination:

Correction Timeframe:


Unit & Low / Pass Inside:

Unit & N/A Inside:

#### More Information:

Inside:

- Unit & Damaged, inoperable, or missing components that do not limit the resident's ability to safely discharge human waste may include, but are not limited to:
  - · Tank lid
  - Handle, lever, or button used for flushing that is loose, but is still operable


































#### Deficiency 1: Trip hazard on walking surface.

#### More Information:

Unit, Inside, & Outside:

- Unit,
   Examples of conditions that should be evaluated under this deficiency include, but are not limited to:
  - A service access cover that is missing and it is located along a walking surface.
  - Any surface, object, or material that creates an unintended ¾-inch or greater vertical rise along the path of travel.
  - An unintended 2-inch or greater gap or space along the path of travel.
  - Examples of conditions that should not be evaluated under this deficiency include, but are not limited to:
  - An engineer-designed gap or vertical difference (e.g., a raised manhole or a plant grate designed in the middle of a path of travel).
  - An intentional transition from a walking surface to a doorway or entrance.

# **Trip Hazard**

Deficiency 1: Trip hazard on walking surface.


#### More Information:

Inside, & Outside:

- Unit,
   Examples of conditions that should not be evaluated
   de, &
   under this deficiency include, but are not limited to:
  - An engineer-designed gap or vertical difference (e.g., a raised manhole or a plant grate designed in the middle of a path of travel).
  - An intentional transition from a walking surface to a doorway or entrance.















































# Wall – Exterior

#### Definition:

- Exterior wall: The finished or unfinished surface that provides a vertical separation between the interior and exterior of the building and may provide security and privacy, sound proofing, and weather resistance.
- Wall covering: Material such as siding or stucco used as a covering for exterior walls.

# Wall — Exterior • Note: Unfinished within this standard refers to concrete masonry unit or poured concrete walls. Common Components: Cladding; Air barrier; Sheathing; Framing; Vapor control layer; Insulation More Information: If the wall is below grade and soil is on the exterior side, then evaluate under the Foundation standard.

# Wall - Exterior

Deficiency 1: Exterior wall covering has missing sections of at least 1 square foot per wall.

#### **Deficiency Criteria:**

Outside: Cumulatively, 1 square foot or more of an exterior wall covering is missing (i.e., evidence of prior installation, but now not present or is incomplete).

#### **H&S** Determination:

Correction Timeframe:

Outside: Moderate / Fail

Outside: 30 days

#### More Information:

Outside: • None



# Wall – Exterior

Deficiency 2: Exterior wall has peeling paint of 10 square feet or more.

#### Deficiency Criteria:

Outside: Cumulatively, there is 10 square feet or more of peeling paint on an exterior wall built after 1978.

#### **H&S** Determination:

Correction Timeframe:

Outside: Moderate / Fail

Outside: 30 days

#### More Information:

Outside: • If property profile indicates the property is a target property, then evaluate under the Potential Lead-Based Paint Hazards - Visual Assessment standard.

# Wall - Exterior

Deficiency 3: Exterior wall component(s) is not functionally adequate.

#### Deficiency Criteria:

Outside: Exterior wall component(s) is not functionally adequate (i.e., impacts the integrity of the wall assembly or building envelope, or does not allow exterior wall to separate the accommodation inside from that outside).

#### **H&S** Determination:

Outside: Moderate / Fail

#### Correction Timeframe:

Outside: 30 days



# Wall – Exterior

Deficiency 3: Exterior wall component(s) is not functionally adequate.

#### More Information:

- Outside: Exterior wall covering or finishing should be evaluated under Deficiency 1 or Deficiency 2 of this standard.
  - All attic or roof ventilation components should be evaluated under the Roof Assembly standard.
  - If the overall exterior wall exhibits a sign of serious failure that may threaten the resident's safety, then evaluate the condition under the Structural System standard.

















# Wall - Interior

Interior wall has a loose or detached surface Deficiency 1: covering.

#### Deficiency Criteria:

Unit & Interior wall has a loose or detached surface covering. Inside:

#### **H&S Determination:**

Unit & Moderate / Fail

Inside:

#### Correction Timeframe:

Unit & 30 days

Inside:

#### More Information:

Unit & • Cosmetic damage (e.g., loose wallpaper) should not be evaluated under this deficiency. Inside:

Deficiency 2: Interior wall component(s) is not functionally adequate.

#### Deficiency Criteria:

Unit & Interior wall component(s) is not functionally adequate Inside: (i.e., impacts the integrity of the interior wall or does not allow interior wall to provide vertical separation between rooms or spaces).

#### **H&S** Determination:

Correction Timeframe:

Unit & Moderate / Fail Inside:

Unit & 30 days

Inside:


#### More Information:

Inside:

Unit & • If the overall interior wall exhibits a sign of serious failure that may threaten the resident's safety, then evaluate the condition under the Structural System standard.


Deficiency 3: Interior wall has a hole that is greater than 2 inches in diameter or there is an accumulation of holes that are cumulatively greater than 6 inches by 6 inches. Deficiency Criteria: Unit & A hole is greater than 2 inches in diameter. Inside: OR An accumulation of holes in any one wall that are cumulatively greater than 6 inches by 6 inches. **H&S** Determination: Correction Timeframe: Unit & Moderate / Fail Unit & 30 days Inside: Inside: More Information: Unit & • None Inside:

















#### More Information:

Outside:

Unit, Acceptable relief valve discharge piping materials include:

- Inside, & Chlorinated polyvinyl chloride (CPVC) plastic pipe/tubing
  - · Copper pipe
  - Cross-linked polyethylene (PEX) plastic tubing
  - Ductile iron
  - Cross-linked polyethylene/aluminum/high-density
  - Polyethylene (PEX-AL-HDPE) pipe
  - Polyethylene (PEX-AL-PEX) pipe
  - Galvanized steel pipe
  - Polyethylene/aluminum/ polyethylene (PE-AL-PE) pipe
  - · Polypropylene (PP) plastic pipe or tubing
  - Stainless steel pipe (type 304 or 316)

# **Water Heater** Deficiency 2: No hot water. Deficiency Criteria: Unit & Hot water does not dispense after the handle is engaged. Inside: H&S Determination: Correction Timeframe: Unit: Severe / Fail Unit: 30 Days Inside: Low / Pass Inside: N/A More Information: Unit & • None Inside:

Deficiency 3: The relief valve discharge piping is missing or terminates greater than 6 inches or less than 2 inches from waste receptor flood-level.

#### **Deficiency Criteria:**

Unit, The relief valve discharge piping is missing (i.e., evidence of Inside, & prior installation, but is now not present or is incomplete). OR Outside: The relief valve discharge piping terminates greater than 6 inches or less than 2 inches from waste receptor flood-level.

#### **H&S** Determination:

Unit, Inside, Moderate / Fail & Outside:

#### Correction Timeframe:

Unit, Inside, 30 days & Outside:

#### More Information:

Inside, & Outside:

Unit, • If the relief valve discharge piping is plumbed through the wall and the inspector is unable to the visually identify the termination point, then do not record as a deficiency.

Deficiency 4: Chimney or flue piping is blocked, misaligned, or missing.

#### Deficiency Criteria:

Unit, Chimney or flue piping is blocked, misaligned, or missing Inside, & (i.e., evidence of prior installation, but now not present or Outside: is incomplete).

#### **H&S** Determination:

Unit, Life-Threatening / Inside, & Fail Outside:

#### Correction Timeframe:

Unit, 24 hours Inside, & Outside:

#### More Information:

• Metal tape is not a substitute for substandard flue vent connections.



Deficiency 5: Gas shutoff valve is damaged, missing, or not installed.

#### **Deficiency Criteria:**

Unit, Gas shutoff valve is damaged (i.e., visibly defective;

Inside, & impacts functionality). OR

Outside: Gas shutoff valve is missing (i.e., evidence of prior

installation, but is now not present or is incomplete). OR Gas shutoff valve is not installed (i.e., never installed, but

should have been).

#### H&S Determination:

Unit, Life-Threatening /

Inside, & Fail

Outside:

#### Correction Timeframe:

Unit, 24 hours

Inside, &

Outside:



































# Window

More Information:

A window that is part of a door assembly should be evaluated under the Door – General standard, Door – Entry standard, or Door – Fire Labeled standard, respectively.



Deficiency 2: Window cannot be secured.		
Deficiency Criteria:		
	Window cannot be secured (i.e., access controlled) by at least 1 installed lock.	
H&S Deterr	mination:	Correction Timeframe:
Unit:	Moderate / Fail	Unit: 30 days
Inside:	Low / Pass	Inside: N/A
More Information:		
<ul> <li>Unit &amp; Inside:</li> <li>Stick/wooden dowel</li> <li>Other devices that are not attached to the window assembly</li> <li>If the window is not designed to have a lock, then it should not be evaluated under this deficiency.</li> <li>If a permanently installed window-mounted air conditioner is present, then disregard this deficiency.</li> </ul>		



Deficiency 4: Window component is damaged or missing and the window is not functionally adequate.

#### Deficiency Criteria:

Unit & Any portion of a visually accessible (i.e., can be reasonably Inside: accessed and observed) window component is damaged (i.e., visibly defective) and the window is not functionally adequate (i.e., cannot protect from the elements, bugs, or debris, permit illumination within the interior space, or permit visual access between spaces). OR

> Any portion of a visually accessible (i.e., can be reasonably accessed and observed) window component is missing (i.e., evidence of prior installation, but is now not present or is incomplete) and the window is not functionally adequate (i.e., cannot protect from the elements, bugs, or debris, permit illumination within the interior space, or permit visual access between spaces). OR

A visually accessible (i.e., can be reasonably accessed and observed) window screen has a hole, tear, or cut that is 1 inch or greater.

### Window

Deficiency 4: Window component is damaged or missing and the window is not functionally adequate.

#### **H&S** Determination:

Unit & Moderate / Fail

Inside:

#### Correction Timeframe:

Unit & 30 days Inside:


#### More Information:

Unit & • Inside:

- Examples of damaged or missing components that may impact the window's functional adequacy may include, but are not limited to:
  - Weather stripping or seal
- · Pane or sash

- · Framing or casing
- · Condensation that is present due to a failed window seal should not be evaluated.
























# **End of Day 3 NSPIRE-V Training**





# Certificate of Completion

- Given at end of seminar
- Must attend entire seminar to receive





# **Surveys**

You'll receive a link to an online survey in the email with your certificate of completion

The survey should take 5 minutes or less

We'd really appreciate your feedback